UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/541,875	04/05/2006	Jurgen Dorn	568-PDD-02-08-US-[57P]	7921
69683 7590 10/29/2010 EXAMINER				IINER
Bard Peripheral 1415 W. 3rd St	l Vascular, Inc.	WEBB, SARAH K		
PO Box 1740			ART UNIT	PAPER NUMBER
Tempe, AZ 85280-1740			3731	
			NOTIFICATION DATE	DELIVERY MODE
			10/29/2010	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

BPVIP.Docket@crbard.com Jacki.Daspit@crbard.com Patents@Rutan.com

	Application No.	Applicant(s)				
	10/541,875	DORN ET AL.				
Office Action Summary	Examiner	Art Unit				
	SARAH WEBB	3731				
The MAILING DATE of this communication app	pears on the cover sheet with the c	orrespondence address				
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period of - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on <u>13 O</u>	ctober 2010					
• • • • • • • • • • • • • • • • • • • •	action is non-final.					
	_					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-44</u> is/are pending in the application.						
4a) Of the above claim(s) <u>27-43</u> is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-26 and 44</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/o	r election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examine	ır.					
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correct	ion is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d).				
11)☐ The oath or declaration is objected to by the Ex	caminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.						
oce the attached detailed office action for a list	or the defined copies not receive	G.				
Attachment(s)						
1) X Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	ate				
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 10/13/2010.	5) Notice of Informal P 6) Other:	atent Application				

Application/Control Number: 10/541,875 Page 2

Art Unit: 3731

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 10/13/2010 has been entered.

Response to Arguments

2. Applicant's arguments with respect to claims 1-26 have been considered but are moot in view of the new ground(s) of rejection.

Claim Objections

3. Claim 16 is objected to because of the following informalities: "the tubular means" should be changed to "guidewire tubular means."

Claim 25 is objected to because of the following informalities: "the tubular portion" recited in line 3 should be changed to "the proximal tube portion."

Appropriate correction is required.

Application/Control Number: 10/541,875 Page 3

Art Unit: 3731

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1-9, 11, 12, 15-20, 24-26, and 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent App. Pub. No. 2003/0109886 (Keegan et al.).

Referring to the embodiment of Keegan in Figure 19a, a surgical delivery device is disclosed that includes a primary shaft (2) attached to a distal zone that is advanced over a guide wire (3). A guidewire tubular means (101) lies in the distal zone to one side of the primary shaft (2). A proximal length of the guidewire tubular means (101) overlaps a distal length of the primary shaft (2). A sleeve (4 and 9; the proximal component 9 is considered to be an integral part of the sleeve 4) surrounds the primary shaft (2), the guide wire tubular means (101), and a surgical element (7) positioned at distal portion of the guidewire tubular means (101). The proximal guidewire exit port (11) is proximal to the proximal opening of the guidewire tubular means (101).

In this embodiment, Keegan fails to configure the guidewire tubular means (101) and the primary shaft to overlap in length, but Keegan illustrates this arrangement in another embodiment shown in Figure 18. Additionally, Keegan states that the length of the guidewire tubular means (101) of the Figure 19a embodiment can be extended rearward (paragraph 202). Since this modification would require a mere change in size or location of a component, it would have been obvious to one of ordinary skill in the art

at the time the invention was made to configure Figure 19a embodiment so that the primary shaft (2) overlaps a length of the guidewire tubular means (101).

Regarding claims 2-4, Keegan discloses a moveable inner shaft (3) received in the primary shaft tube. The inner shaft is configured as a "pusher", as it is *capable of* maintaining the position of stent (7). Meeting all the structural requirements, the prior art is not necessarily required to disclose the function *"maintain the position of said surgical element...."*

Regarding claims 5 and 6, Keegan discloses the delivery of a self-expanding stent (paragraph 118).

Regarding claims 7-9, Keegan teaches that a sleeve can be reinforced by braided filamentary material within the wall thickness of the sleeve (paragraph 119). It would have been an obvious matter of design choice to extend the reinforcement along the sleeve at a length that provides sufficient support to the sleeve.

Regarding claim 11, the claimed phrase "form-fitted by the application of heat and radially inward pressure" is being treated as a product by process limitation. As set forth in MPEP 2113, product by process claims are not limited to the manipulation of the recited steps, only the structure implied by the steps. Once a product appearing to be substantially the same or similar is found, a 35 USC 102/103 rejection may be made and the burden is shifted to applicant to show an unobvious difference.

Regarding claims 12 and 15, the proximal end of the sleeve meets the broad requirement of a "push zone", since it is capable of receiving a compressive force from

the primary shaft. This "push zone" can be found immediately distal of the distal end of the primary shaft.

Regarding claims 16 and 17, the tubular structure of the guidewire tubular means (101) is considered to meet the broad requirements of a "guider tube" and a "guide hose", since no further structural limitations are recited for these features.

Regarding claim 18, Keegan teaches that a guidewire guider tube should be flared at the distal end in order to guide the guidewire into the lumen (see paragraph 149 and Figures 3c-e, 28-30). In light of this teaching, it would have been obvious to one of ordinary skill in the art to incorporate this feature into the distal end of the guidewire tubular means of the embodiment of Figure 19a.

Regarding claim 19: Although Keegan does not configure the inner shaft (2) of the Figure 19a embodiment to extend distally beyond the distal end of the guider hose (101), Keegan does disclose other embodiments where the inner shaft (2) extends distally of the guidewire tubular means. Such a configuration is shown in Figure 3, where the inner shaft (3) extends beyond guidewire guide lumen (between 9 and 11). It would have been obvious to one of ordinary skill in the art to configure the components of the Figure 19a embodiment so that the inner shaft (2) extends beyond the distal end of guidewire hose (101), as this modification would require a mere change in size of a component and/or change in relative positions of components.

Regarding claim 20, the inner shaft (3) carries a pusher (34) which defines a lumen aligned with the guidewire lumen defined by guider hose (101). As shown in the cross section of Figure 19b, the pusher (34) extends beyond the guider hose (101).

Regarding claim 24, the position of the pusher (6) relative to the sleeve may be adjusted by axial movement provided to the annular pusher through its connection to the inner shaft (Fig. 26).

Regarding claim 25, the inner shaft (3) comprises a distal portion of solid cross-section (131) and a proximal tube portion (130), the tubular portion extending within the primary tube shaft and distally therefrom, to said connector, or to a point proximal of said connector (Fig. 26). Regarding claim 26, the inner shaft exhibits an unbroken metal strand as far as the annular pusher (Fig. 26).

Regarding claim 44, Keegan states that the guidewire tubular means (101) can be mounted to the primary shaft (par 203). "Welded" is a product by process limitation that is not given patentable weight, since the method by which a product is made is not germane to the issue of patentability of the structure itself. See MPEP 2113.

5. Claims 21-23 rejected under 35 U.S.C. 103(a) as being unpatentable over Keegan et al. in view of US Patent App. Pub. No. 2008/026506 (Griffin et al.).

Keegan fails to configure the carrier tube/ pusher (34) so that it includes both an annular pusher and a carrier tube that extends distally from the annular pusher. Griffin discloses a similar type of rapid exchange device with essentially the same components as the Keegan device. In one embodiment shown in Figures 9a-b, a carrier tube/ pusher (9) is attached to the distal end of inner shaft (14) similar to the arrangement of Keegan. Griffin teaches an alternate arrangement that includes an annular pusher (61) connected to the distal end of the inner shaft (14) and a carrier tube (9) attached to the annular pusher (61) and extending distally and proximally from therefrom. It would have

Page 7

predictable results.

been obvious to one of ordinary skill in the art at the time the invention was made to from the carrier tube/ pusher element of the Keegan assembly so that it includes both an annular pusher and carrier tube, as taught by Griffin, as this modification merely involves a simple substitution of one known configuration for another to obtain

Regarding claim 22, Keegan teaches that the carrier tube (5) can include a radiopaque marker (13) band at or near its distal end (paragraph 128; Fig. 3E).

Regarding claim 23, Keegan and Griffin fail to disclose that the proximal end of the carrier tube can be tapered outwardly towards the luminal wall of the sleeve.

Keegan et al. disclose the funnel portion (12), which tapers outwardly toward the wall of the sleeve, assists in guiding the guidewire into the narrower guidewire lumen (paragraph 133). In light of this teaching, it would have been obvious to modify the carrier tube to also include a proximal portion which tapers outwardly towards the luminal wall of the sleeve in order to assist in guiding the guidewire into the carrier tube so that the guidewire can easily be inserted through the proximal guidewire port if desired.

6. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Keegan et al. (US 2003/0109886) in view of Betelia et al. (US 6,945,989).

Keegan fails to disclose the distal end of the sleeve (4) is tapered inwardly to provide the device, at least prior to its arrival at the site of surgery, with a more or less atraumatic tip. Betelia et al. disclose stent delivery catheter for deploying a self expanding stent, wherein the stent delivery catheter comprises an outer sheath having a

Application/Control Number: 10/541,875

Art Unit: 3731

distal tip (18) which is tapered inwardly to provide an atraumatic tip (Fig 1 B; col. 5, In. 65 - col. 6, In. 9). Betelia et al. discloses the tapered outer sheath is advantageous over a conical or tapered nosepiece on the inner shaft, such as the nosepiece disclosed by Keegan et al, because the nosepieces risk catching on the wall of the blood vessel and/or dislodging embolic material (col. 2, In. 4-22). Therefore, it would have been obvious to one of ordinary skill in the art to modify the sleeve of the Keegan device so that it is inwardly tapered at the distal end, as taught by Betelia, in order to facilitate advancement of the sheath with minimal risk of dislodging embolic material or causing injury to the vessel.

Page 8

7. Claim 13 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Keegan et al. (US 2003/0109886) in view of Roberts et al. (US 5,603,698).

Keegan fails to disclose that the push zone corresponds to an annulus, defined by a reduced outside diameter of the sleeve relative to its diameter immediately proximal of said push zone and reduced inside diameter relative to its inside diameter immediately proximal of said push zone. Roberts et al. disclose a self expanding stent delivery catheter having a sheath (20) with a reduced diameter portion (24; Fig. 1). Roberts et al. discloses that providing an outer sheath having diameters which conform closely to the diameter of the inner components enhances flexibility and reduces kinking for easier navigation through vessels (col. 5, In. 14-44). It would have been obvious to one of ordinary skill in the art to decrease the inner and outer diameters of the sleeve of Keegan in the region distal the primary shaft, as taught by Roberts, in order to enhance flexibility and reduce kinking.

Art Unit: 3731

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SARAH WEBB whose telephone number is (571) 272-5749. The examiner can normally be reached on 9:00am - 5:00pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anhtuan Nguyen can be reached on (571) 272-4963. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/S. W./ Examiner, Art Unit 3731

/Anhtuan T. Nguyen/ Supervisory Patent Examiner, Art Unit 3731 10/23/10